

# TIPPER-LIFTER MACHINES FISH & FOOD INDUSTRY



IPG TIPPER-LIFTER MACHINES  
SMART PRODUCTS FOR YOUR LOGISTICS

# FISH AND MEAT INDUSTRY

## Tipper for 1200x800 Insulated Boxes and Containers



This model is adapted to emptying transport carriers based on a Euro pallet. These can be 1200x800mm pallets or Gitter-boxes. The IP-BMS800 model is a so-called wide tipper, which means that we place the supported container on the tipper, and more precisely on its profiles. Such a system of positioning an emptied container or box on a tipper allows convenient access by a pallet truck. This model is the most popular and most frequently chosen tipper among the 120x80cm containers offered for handling. This tipper facilitates, facilitates and speeds up unloading of containers at working height.

Article No.	IP-BMS800
Standard dumping height	Approx. 1000 mm
Load	900 kg
Power supply	battery or 400V mains
Material	stainless steel INOX
Tilt angle	from 0 ° to 110 °
Basis	mobile on wheels with stabilizing feet
Lowering indications	Yes, sound
Options	traffic lights, protective mesh on request

## Tipper for 1200x1000 Insulated Boxes and Containers



The IP-BMS1200 stainless steel tippler is the most universal model of mobile tipplers dedicated to various types of containers. The BMS1200 model is called wide tipper, this means that we place the supported container on the tipper, and more precisely on its profiles. Such a system of positioning an emptied container or box on a tipper allows convenient access by a pallet truck. It is compatible with all pallets available on the market with a base 1200 × 800, 1200 × 1000 and 1200x1200mm. The BMS1200 stainless steel tipper, after extending the discharge tray, can handle insulated containers type 400, 430, 430, 600, 630, 660, 700.

Article No.	IP-BMS1200
Standard dumping height	Approx. 1000 mm
Load	900 kg
Power supply	400V mains of battery
Material	stainless steel INOX
Tilt angle	from 0 ° to 110 °
Actuator	made of stainless steel
Basis	mobile on wheels with stabilizing feet
Lowering indications	Yes, sound
Options	Cover grid, traffic lights

# FISH AND MEAT INDUSTRY


## Tipper for IP-MB-O Bowl Model



It is a mobile tipper made of stainless steel. Its mobile base allows movement between positions in the production hall and stabilizing feet keep the machine level during operation. Please provide information on the model used and the manufacturer. The bowl tipper is a simple device that allows you to relieve your employees and improve the efficiency of unloading processes - and thus - to speed up the production time in your company. The tipper is not heavy and it is easy to operate it manually during production by moving between sections in the hall, where its help is needed.

Article No.	IP-MB-O Bowl Model
Standard dumping height	Approx. 1000 mm
Load	900 kg
Power supply	400V mains or battery
Material	stainless steel INOX
Tilt angle	from 0 ° to 110 °
Basis	mobile has wheels with stabilizing feet
Container handle	bowl handle with two pins coming from the tipper
Options	Cover grid, traffic lights, scraper

## Tipper for 200 L Drums



This model has been specially developed for tilting barrels with both loose and liquid products. Hence the special shape of the tray to prevent overflowing of liquid on the sides. The standard tipper works with 200-liter drums, but we are able to adapt it to other barrel capacities. The stainless steel mobile tipper dedicated to barrels has a mobile base that allows movement between stands in the production hall and stabilizing feet keep the machine level during operation.

Article No.	IP-DR200L
Standard dumping height	Approx. 1000 mm
Load	500 kg
Power supply	battery or 400V mains
Material	stainless steel INOX
Tilt angle	from 0 ° to 110 °
Basis	mobile has wheels
Container handle	Circumferentially
Lowering indication	Yes
Options	Protective mesh, traffic lights, stabilizing feet

# FISH AND MEAT **INDUSTRY**

## Tipper for for Cymbals 200l



It is a mobile tipper made of stainless steel dedicated to 200-liter dumpers. Its mobile base enables movement between positions in the production hall. The tipper mainly serves cymbals / stuffing carts manufactured in accordance with DIN 9797. The tipper is a simple device that allows you to relieve your employees and improve the efficiency of unloading processes - and thus - to speed up the production time in your company. The tipper is not heavy and it is easy to operate it manually during production by moving between sections in the hall, where its help is needed.

Article No.	IP-BMS-200
Standard dumping height	Approx. 1000 mm
Load	400 kg
Power supply	400V mains or battery
Material	stainless steel INOX
Tilt angle	from 0 ° to 110 °
Basis	mobile on wheels with brakes
Container handle	on the narrower side, along the guides on the long side
Lowering indication	Yes

[WWW.IP-GROUP.COM](http://WWW.IP-GROUP.COM)

